2020 ANNUAL REPORT

Deaths related to opioids and other drugs

Van Buren

This report is in memory of those who lost their life or a loved one to substance use.

These losses must motivate us all to prevent future deaths.

A few notes...

: Purpose:

This data was collected by the Office of the Medical Examiner in the Department of Pathology at
WMed. Unless otherwise noted, data is from 2020 and includes deaths where drugs
were the immediate cause of death. This report is meant to provide up to date statistics to those involved in efforts to reduce the number of drug-related deaths.

Sections with the following headings are approximations and frequencies may be higher than what is reported:

Health Factors, Mental Health Factors, Social Factors, Children and Substance Use History.

Sources:

All data was extracted from a Medical Examiner database, law enforcement (LE) and EMS reports, death certificates, obituaries, Swift Toxicology of Overdose-Related Mortalities (STORM) results, medical records, toxicology reports, MDHHS reports, and autopsy reports.

Deaths Related to Opioids and Other Drugs

Van Buren

All Drug-Related Deaths

Age	Race	Sex	Death Certificate: Substances Contributing to Death	Injury Zip Code
20	W	F	Pt. I: Alprazolam, fentanyl, heroin	49071
25	W	М	Pt. II: Fentanyl, heroin, xylazine, diphenhydramine*	49013
27	W	F	Pt. I: Methamphetamine, fentanyl	49090
30	W	М	Pt. I: Mitragynine	49079
33	W	М	Pt. I: Methadone, alprazolam	49055
34	W	F	Pt. I: Difluoroethane	Unknown
35	В	М	Pt. I: Fentanyl, ethanol, methamphetamine, lorazepam, diphenhydramine	49045
40	W	F	Pt. I: Ethanol, glipizide	49013
40	W	М	Pt. I: Methamphetamine	49506
41	W	М	Pt. II: Gabapentin, alprazolam, dihydrocodeine, hydrocodone, hydromorphone*	49057
42	W	М	Pt. I: Heroin, ethanol	49057
60	W	М	Pt. I: Acute and Chronic Alcohol Use*	49079
60	W	М	Pt. I: Fentanyl, oxycodone	49056
61	W	М	Pt. I: Methamphetamine	49064
61	W	F	Pt. I: Fentanyl, brorphine	49079
62	W	F	Pt. I: Methamphetamine	49071
63	В	М	Pt. I: Methamphetamine	49090
88	W	М	Pt. I: Hydrocodone, zolpidem, carbon monoxide	49056

^{*} Case is not included in the following report

Van Buren

Total deaths due to drugs: 2018, 2019, 2020

2018 9 deaths

3 opioid only

I non-opioid only

opioid & non-opioid

deaths per 10,000

2019

13 deaths

2 opioid only

1 non-opioid only

10 opioid & non-opioid

deaths per 10,000

2020

15 deaths

3 opioid only

non-opioid only

opioid & non-opioid


deaths per 10,000

Number of nonfatal overdoses among ED discharges, 2020

217


28.5


Nonfatal overdoses per 10,000





Van Buren


Demographics


















Van Buren

Health Factors












Van Buren

Mental Health Factors




PERCENTAGE OF DECEDENTS...





Van Buren

Social Factors











0%




Decedents **ever incarcerated** were released in past 60 days

Children









2 decedent lived with their minor child(ren) at time of death


Van Buren

Substance Use History







months to years of living substance free.




Van Buren

Naloxone Administration








Van Buren


Death Scene Findings



60%
Were found by family



20%
Used the fatal
substance(s)
alone




7%
Were found by a minor



27% Were given Narcan



Pipes, snorting devices, and lighters were the most common paraphernalia found on scene



O%

Had Narcan on scene and/or were prescribed Narcan



73%
Were dead
upon EMS
arrival





7%
Died at the hospital



60%
Died at their residence


Autopsy and Toxicology Results





Van Buren

Substance Breakdown



HEROIN & FENTANYL

2 decedents had heroin in their toxicology

1 of these decedents also had fentanyl in their toxicology

BENZODIAZEPINES & OPIOIDS

3 decedents had a benzodiazepine and an opioid in their toxicology

1 decedent were prescribed that opioid and benzodiazepine

XYLAZINE & FENTANYL

o decedents had xylazine in their toxicology

NA of these decedents also had fentanyl in their toxicology

METHAMPHETAMINE & OPIOIDS

2 decedents had methamphetamine and opioid(s) in their toxicology

o decedents had methamphetamine and heroin in their toxicology

Van Buren

Autopsy and Toxicology Results, cont.

